




2024 Off Road Electric scooter Quotation



Item No	Picture	Feature	Optional	Product link	Package	EXW
T2pro		Tire:10inch vacuum off road tires Frame: Aluminum+Steel Maximum load :150KG Start method:Integrated RDF sensor card Battery: 48V23AH Motor:10inch 48v 1650W*2(Double motor) Max speed:70km/h		https://liidewayscooter.com/product/scooter-electric-adult-liideway-t2pro/		48V sample:588\$ 50pcs:568\$ 20ft:558\$ 40HQ:548\$
T2 Plus		Battery:60V21AH Motor:60v 3000W*2(Double motor) Max speed:80km/h Range:60-70km Controller: 30A controller/45A Brakes: Front and rear Disc brakes Shock : Front and rear spring shock absorbers Restricted speed:25km/h(European standard) Light:front/rear/brake/turn/side light Handlebar: T-handlebar Charging time: 5-10 hours or support dual charging Charger One 2A UL charger	1.10inch wide off-road tires 2. 2A UL/CE charger:15\$(free) 3.Seat+13\$ (free) 4.USB phone charging:5\$(free) 5.6inch RFD sensor screen:28\$(free) 6.Removable battery:28us\$ 7.with logo(pole and footboard) and carton logo(free) 8. waterproof strip(free) 9.4pcs shock absorbers (free) 10.alarm system:8us\$ 11.Hydraulic brake: 30us\$ 12.Damper:30\$ 13.Bluetooth:10\$	https://liidewayscooter.com/product/electric-scooters-80-km-h-liideway-t2plus/	Unfolded size 126x68x55CM Folded size 123x68x132CM Pedal width: 25CM Packing size: 128x33x55cm NW/GW:39.8KG/45.8KG seat:2.5KG 20FT:120pcs, 40HQ:293pcs, 45HQ:336pcs	60v sample:618\$ 50pcs:598\$ 20ft:588\$ 40HQ:578\$
T2		Battery: 48V13AH (single motor) Motor:10inch 48v 2000W(single motor) Max speed:45km/h(single motor) Controller: 30A controller Brakes: Front and rear Disc brakes Shock absorbs: Front and rear spring shock absorbers Restricted speed:25km/h Light:front/rear light and side light Handlebar: dovetail folding handlebar Charging time: 5-10 hours or support dual charging Charger One 2A charger		https://liidewayscooter.com/product/e-scooter-for-adult-off-road-folding-liideway-t2/	48V sample:458\$ 50pcs:438\$ 20ft:428\$ 40HQ:418\$	


<p>T1Pro (Double motor)</p>		<p>Tire:10inch vacuum off road tires Frame: Aluminum+Steel Maximum load :150KG Start method:Integrated voltage lock switch (key switch) Battery: 48V23AH (Double motor) Motor:10inch 48v 1650W*2(Double motor) Max speed:70km/h(Double motor)</p>	<p>1.10inch wide off-road tires 2.Extra 2A charger:12\$(UL) 3.Seat+13\$ (free) 4.USB mobile phone charging:5\$(free) 5.Install 6inch LCD screen+13\$(free) 6.with removable battery:28us\$ 7.with logo(pole and footboard) and carton logo(free) 8. with waterproof strip(free) 9.upgrade shock absorbers (free) 10.alarm system:8us\$ 11.Hydraulic brake: 30us\$ 12.Damper:30\$ 13.Bluetooth:10\$</p>	<p>https://liidewayscooter.com/product/scooter-electric-liideway-t1pro/</p>	<p>Unfolded size 115*21*129CM Folded size 115*21*45CM Pedal width: 21CM Packing size: 124*26*48.5cm Carton weight:5KG NW/GW:30.75KG/37.15KG 20FT:224pcs, 40HQ:464pcs, 45HQ:544pcs</p>	<p>538US\$</p>
<p>T1 (Single Motor)</p>		<p>Battery: 48V13AH (single motor) Motor:10inch 48v 2000W(single motor) Max speed:45km/h(single motor) Controller: 30A controller Brakes: Front and rear Disc brakes Shock absorbs: Front and rear spring shock absorbers Resricted speed:25km/h Light:front/rear light and side light Handlebar: dovetail folding handlebar Charging time: 5-10 hours or support dual charging Charger One 2A charger</p>	<p>1.10inch wide off-road tires 2.Extra 2A charger:12\$(UL) 3.Seat+13\$ (free) 4.USB mobile phone charging:5\$(free) 5.Install 6inch LCD screen+13\$(free) 6.with removable battery:28us\$ 7.with logo(pole and footboard) and carton logo(free) 8. with waterproof strip(free) 9.upgrade shock absorbers (free) 10.alarm system:8us\$ 11.Hydraulic brake: 30us\$ 12.Damper:30\$ 13.Bluetooth:10\$</p>	<p>https://liidewayscooter.com/product/electric-scooter-liideway-t1/</p>	<p>Unfolded size 115*21*129CM Folded size 115*21*45CM Pedal width: 21CM Packing size: 125*26*50CM Carton weight:5KG NW/GW:25KG/30KG 20FT:224pcs, 40HQ:464pcs, 45HQ:544pcs</p>	<p>388us\$</p>
<p>T12 (Single Motor)</p>		<p>Tire:10inch vacuum off road tires Frame: Aluminum+Steel Maximum load :150KG Start method:Integrated voltage lock switch (key switch) With acrylic panel, built-in LED lights, customized LOGO, Battery: 48V13AH (single motor) Motor:10inch 48v 2000W(single motor) Max speed:45km/h(single motor) Controller: 30A controller Brakes: Front and rear Disc brakes Shock absorbs: Front and rear spring shock absorbers Charging time: 5-10 hours or support dual charging Charger One 2A charger</p>	<p>1.Extra 2A charger:12\$(UL) 2.Seat+13\$ (free) 3.USB mobile phone charging:5\$(free) 4.Install 6inch LCD screen+13\$(free) 5.with removable battery:28us\$ 6.with logo(pole and footboard) and carton logo(free) 7.upgrade shock absorbers (free) 8.alarm system:8us\$ 9.Hydraulic brake: 30us\$ 10.Damper:30\$ 11.Bluetooth:10\$</p>	<p>https://liidewayscooter.com/product/off-road-electric-scooter-factory-liideway-t12/</p>	<p>Unfolded size 115*21*129CM Folded size 115*21*45CM Pedal width: 21CM Packing size: 125*26*50CM Carton weight:5KG NW/GW:25KG/30KG 20FT:224pcs, 40HQ:464pcs, 45HQ:544pcs</p>	<p>358US\$</p>

T9		<p>Tire:11inch off road tires with 6inch screen Frame: carbon steel Maximum load :150KG Start method:Integrated voltage lock switch (key switch) Battery: 60V20AH Motor: Double motor 4000W*2 Max speed:80-100km/h Controller: 25A controller Brakes: Front and rear Hydraulic brakes Shock absorbs: Front and rear spring shock absorbers Resricted speed:25km/h (EU standard) Light:front/rear light and side light Handlebar: dovetail folding handlebar Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> 1.Default off-road tires, road tires can be changed 2.2A charger:12\$ 3.Small Seat:15\$/Big seat:38\$ 4.USB mobile phone charging:5\$ 5.with removable battery:38us\$ 6.Install pole cover LED light+35\$ 7.Install LED cover light+25\$ 8.alarm system:8us\$ 9.Damper:30\$ 10.Bluetooth:10\$ 	<p>https://liidewayscooter.com/product/best-electric-scooter-2024-two-wheels-off-road-folding-liideway-t9/</p>	<p>Unfolded size 132*300*131CM Pedal width: 21CM Packing size: 142*34*54CM Carton weight:5KG NW/GW:56KG/66KG 20FT:108pcs, 40HQ:260pcs, 45HQ:300pcs</p>	<p>US\$850</p>
T6		<p>Tire:14 inch off road tires Maximum load :400KG Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch Motor:60V/72V(optional) 4000W*2 (Double motor) Max speed:80-100km/h Controller: dual 45A controller Battery:60v40ah and 72v50ah(optional) Brakes: Front and rear hydraulic oil brakes Shock absorbs: Front and rear spring shock absorbers Lights: 3 U7 lights + motorcycle horns Instrumentation Leading 100 color LCD instrument (with USB charging port) Handlebar: dovetail folding handlebar seat can be retrofitted Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> 1.Default off-road tires, road tires can be changed 2.Two 2A charger:12\$ 3.Small Seat:15\$/Big seat:38\$ 4.USB mobile phone charging:5\$ 5.with removable battery:38us\$ 6.Install pole cover LED light+35\$ 7.Install LED cover light+25\$ 8.alarm system:8us\$ 9.Damper:30\$ 10.Bluetooth:10\$ 	<p>https://liidewayscooter.com/product/off-road-electric-scooter-4000w2-double-motor-14inch-liidewayt6/</p>	<p>Expanded size: 148*66*125CM Folded size: 150*55*66CM Flat width: 31CM Packing size: 158*37*64CM, GW:71kg, NW:62KG Seat: 3KG " 20ft:90pcs,40ft:181pcs,40H Q:206pcs</p>	<p>US\$1200 (60V40AH) US\$1380 (72V50AH)</p>
T7		<p>Tire:11 inch off road tires Maximum load :400KG Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch Motor: 60V3000W*2(Double motor) Battery:20AH Max speed:80-100km/h Controller: dual 45A controller Brakes: Front and rear hydraulic oil brakes Shock absorbs: Front and rear spring shock absorbers Lights: 3 U7 lights + motorcycle horns Instrumentation Leading 100 color LCD instrument (with USB charging port) Handlebar: dovetail folding handlebar seat can be retrofitted Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> 1.Default off-road tires, road tires can be changed 2.Two 2A charger:12\$ 3.Small Seat:15\$/Big seat:38\$ 4.USB mobile phone charging:5\$ 5.with removable battery:38us\$ 6.Install pole cover LED light+35\$ 7.Install LED cover light+25\$ 8.alarm system:8us\$ 9.Damper:30\$ 10.Bluetooth:10\$ 	<p>https://liidewayscooter.com/product/electric-scooter-3000w-liideway-t7/</p>	<p>Expanded size: 135*29*132CM Folded size: 135*31*60M Flat width: 31CM Packing size: 142*34*54CM NW/GW:55kg/65kg Seat: 3KG " 20ft:107pcs, 40ft:223pcs, 40HQ:260pcs</p>	<p>US\$760</p>

<p>T10</p>		<p>Tire:11inch off road tires with 6inch screen Frame: carbon steel Maximum load :150KG Start method:Integrated voltage lock switch (key switch) Battery: 60V20AH Motor: Double motor 3000W*2 Max speed:80km/h Controller: 45A controller Brakes: Front and rear Oil brakes Shock absorbs: Front/ rear hydraulic shock Restricted speed:25km/h Light:front/rear light and side light Handlebar: dovetail folding handlebar Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> 1.Default off-road tires, road tires can be changed 2.Two 2A charger:12\$ 3.Small Seat:15\$/Big seat:38\$ 4.USB mobile phone charging:5\$ 5.with removable battery:38us\$ 6.Install pole cover LED light+35\$ 7.Install LED cover light+25\$ 8.alarm system:8us\$ 9.Damper:30\$ 10.Bluetooth:10\$ 	<p>https://liidewayscooter.com/product/electric-scooter-fast-liideway-t10/</p>	<p>Unfolded size 132*300*131CM Pedal width: 21CM Packing size: 142*34*54CM Carton weight:5KG NW/GW :56KG/66KG 20FT:108pcs, 40HQ:260pcs, 45HQ:300pcs</p>	<p>US\$950</p>
<p>T14(single motor)</p>		<p>Tire:12inch vacuum road tires Frame: Aluminum+Steel Maximum load :150KG Start method:Integrated voltage lock switch (key switch) Battery: 48V23AH (single motor) Motor:10inch 48v 2000W(single motor) Max speed:50km/h(single motor) Controller: 30A controller Brakes: Front and rear Disc brakes Shock absorbs: Front and rear spring shock absorbers Light:front/rear light and side light Handlebar: dovetail folding handlebar Charging time: 5-10 hours or support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> 1.12inch wide city-road tires 2.Extra 2A charger:12\$(UL) 3.Small Seat:15\$/Big seat:38\$ 4.USB mobile phone charging:5\$(free) 5.Install 6inch LCD screen+13\$(free) 6.with logo(pole and footboard) and carton logo(free) 7.Install pole cover LED light+35\$(free) 8.Install LED cover light+25\$(free) 9. with waterproof strip(free) 10.upgrade shock absorbers (free) 11.alarm system:8us\$ 12.Hydraulic brake: 30us\$ 13.Damper:30\$ 14.Bluetooth:10\$ 	<p>https://leadwaycn.com/product/12inch-electric-scooter-liideway-t14/</p>	<p>Expanded size: 135*29*132CM Folded size: 135*31*60M Flat width: 31CM Packing size: 142*34*54CM NW/GW :55kg/65kg Seat: 3KG "</p> <p>20ft:107pcs, 40ft:223pcs, 40HQ:260pcs</p>	<p>US\$550</p>
<p>T15</p>		<p>Tire:11inch vacuum road tires Frame: Aluminum+Steel Maximum load :150KG Start method:Integrated voltage lock switch (key switch) Battery: 60V20AH Motor:10inch 60v 4000W*(double motor) Max speed:100km/h Controller: 45A controller Brakes: Front and rear hydraulic oil brakes Shock absorbs: Front and rear spring shock absorbers Light:front/rear light and side light Handlebar: dovetail folding handlebar Charging time: 5-10 hours or support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> 1.12inch wide city-road tires 2.Extra 2A charger:12\$(UL) 3.Small Seat:15\$/Big seat:38\$ 4.USB mobile phone charging:5\$(free) 5.Install 6inch LCD screen+13\$(free) 6.with logo(pole and footboard) and carton logo(free) 7.Install pole cover LED light+35\$(free) 8.Install LED cover light+25\$(free) 9. with waterproof strip(free) 10.upgrade shock absorbers (free) 11.alarm system:8us\$ 12.Damper:30\$ 13.Bluetooth:10\$ 	<p>https://leadwaycn.com/product/powerful-electric-scooters-liideway-t15/</p>	<p>Expanded size: 135*29*132CM Folded size: 135*31*60M Flat width: 31CM Packing size: 142*34*54CM NW/GW :55kg/65kg Seat: 3KG "</p> <p>20ft:107pcs, 40ft:223pcs, 40HQ:260pcs</p>	<p>US\$850</p>

T8		<p>Tire:11inch Vacuum off road tire Maximum load :200KG Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch Max speed:100-120km/h Battery: 72V40AH Motor:Double motor 72v 3600W*2 Range:100-120km Controller: dual 50A controller Brakes: Front and rear hydraulic oil brakes Shock : Front/rear Hydraulic shock absorbers Lights: 3 U7 lights + motorcycle horns Light:front/rear/turn/brake light Handlebar: T- handlebar Charging time: 3-7 hours or so/support dual charging Charger One 5A UL charger</p>	<ol style="list-style-type: none"> 1.Default off-road tires, road tires can be changed 2.2A charger:12\$ 3.Small Seat:15\$/Big seat:38\$ 4.USB mobile phone charging:5\$ 5.with removable battery:38us\$ 6.Install pole cover LED light+35\$ 7.Install LED cover light+25\$ 8.alarm system:8us\$ 9.Damper:30\$ 10.Bluetooth:10\$ 	<p>https://liidewayscooter.com/product/11inch-off-road-electric-scooter-liideway-t8/</p>	<p>product size:140*135*68cm Folding size:141*28*48cm Packing size:145*31*53cm, NW/GW:55kg/65kg 20ft:118pcs, 40HQ:286pcs</p>	<p>sample:us\$1280 50pcs:1200\$ 20ft:1150\$ 40HQ:1100\$</p>
T13		<p>Model : Electric Snow Scooter Motor : 48V 1500W*1 Split motor Battery: 20.8Ah (18650) / 30Ah (21700) Battery Weight : About 8.3kg / About 9.3kg Intelligent System: Tuya APP None-key start+Motor Anti-theft Locking+man-machine Interaction Special Function:Removable battery set and seat Brake System :Front & Rear Oil brake + Electronic brake Tire :PA66 injection molded snowboard + nylon mesh rubber track Parts Weight Snowboard: 2.6kg Suspension :Front & Rear Shock Absorber Display Digital display Max Speed: 23km/h Max Range: 20.8Ah: 27km (30Ah: 40km)</p>	<p>Test Environment 70kg, outdoor -5°, speed 15km/h, snow road riding test (below -5°, range will be reduced by the decrease of temperature) Max Load 130KG Climbing Angle 15< Charging Time "20.8Ah: Charger x1,,11-11.5h / Charger x 2, 5.5-6hrs 30AH: Charger x1, 15-15.5h/ Charger x 2, 7.5-8hrs" Material A3 carbon steel + 6061 aluminum alloy + plastic PA66</p>	<p>https://liidewayscooter.com/product/electric-snow-scooter-liideway-t13/</p>	<p>Net Weight 20.8Ah: About 42.3kg (30Ah: About 43.3kg) Gross Weight 20.8Ah: About 50.3kg (30Ah: About 51.3kg) Product Size 1778.3*1317.8*600MM Folded Size Carton Size 1755*650*260MM</p>	<p>battery 20.8ah : 948us\$ battery 30ah: 1080us\$</p>
T11		<p>Tire:11inch off road tires Frame: Full Aluminum alloy Maximum load :150KG Start method:Integrated voltage lock switch (key switch) Battery: 48V28AH/52V25AH Motor: Double motor 48v 2000W*2 Max speed:70km/h Controller: 25A controller Brakes: Front and rear Disc brakes Shock absorbs: Front and rear spring shock absorbers Resricted speed:25km/h Light:front/rear light and side light Handlebar: dovetail folding handlebar Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> 1.10inch wide off-road tires 2.Extra 2A charger:12\$(UL) 3.Seat+13\$ (free) 4.USB mobile phone charging:5\$(free) 5.Install 6inch LCD screen+13\$(free) 6.with removable battery:28us\$ 7.with logo(pole and footboard) and carton logo(free) 8.with waterproof strip(free) 9.upgrade shock absorbers (free) 10.alarm system:8us\$ 11.Hydraulic brake: 30us\$ 12.Damper:30\$ 13.Bluetooth:10\$ 	<p>https://liidewayscooter.com/product/powerful-scooters-powerful-adult-dis-liideway-t11/</p>	<p>Unfolded size 115*21*129CM Folded size 115*21*45CM Pedal width: 21CM Packing size: 128*28*52CM Carton weight:5KG NW/GW:30KG/35KG 20FT:150pcs, 40HQ:312pcs, 45HQ:366pcs</p>	<p>US\$690</p>

<p>T3</p>		<p>Tire:11inch Vacuum off road tires Frame: Aluminum+Steel Maximum load :150KG Start method:Integrated voltage lock switch (key switch) Battery: 48V28AH Motor: Double motor 48v 2000W*2 Max speed:70km/h Range:70-80km Controller: 30A controller Brakes: Front and rear Disc brakes Shock : Front and rear spring shock absorbers Restricted speed:25km/h Light:front/rear/turn/brake/side light Handlebar:T-handlebar Charging time: 3-5 hours or so/support dual charging Charger One 3.4A UL charger</p>	<ol style="list-style-type: none"> 1.10inch wide off-road tires 2.Extra 2A charger:12\$(UL) 3.Seat+13\$ (free) 4.USB mobile phone charging:5\$(free) 5.Install 6inch LCD screen+13\$(free) 6.with removable battery:28us\$ 7.with logo(pole and footboard) and carton logo(free) 8. with waterproof strip(free) 9.upgrade shock absorbers (free) 10.alarm system:8us\$ 11.Hydraulic brake: 30us\$ 12.Damper:30\$ 13.Bluetooth:10\$ 	<p>https://liidewayscooter.com/product/scooter-electric-dual-motor-liideway-t3/</p>	<p>Unfolded size :127* 29*130cm Folded size :127* 29* 51cm Pedal width: 21CM Carton weight:5KG NW/GW:30KG/35KG Packing size:135x29.5x56.5cm, 20FT:125pcs, 40HQ:302pcs, 45HQ:346pcs</p>	<p>sample:us\$700 50pcs:680\$ 20ft:658\$ 40HQ:648\$</p>
<p>T4</p>		<p>Tire:10inch Vacuum off road tires Frame: Full Aluminum alloy Maximum load :150KG Start method:Integrated voltage lock switch (key switch) Battery: 48V27AH Motor:Double motor 48v 1600W*2 Max speed:70km/h Range:70-80km Controller: 30A controller Brakes: Front and rear Disc brakes Shock : Front and rear spring shock absorbers Restricted speed:25km/h Light:front/rear/turn/brake/side light Handlebar: T-Handlebar Charging time: 3-5 hours or so/support dual charging Charger One 3.4A UL charger</p>	<ol style="list-style-type: none"> 1.10inch wide off-road tires 2.Extra 2A charger:12\$(UL) 3.Seat+13\$ (free) 4.USB mobile phone charging:5\$(free) 5.Install 6inch LCD screen+13\$(free) 6.with removable battery:28us\$ 7.with logo(pole and footboard) and carton logo(free) 8. with waterproof strip(free) 9.upgrade shock absorbers (free) 10.alarm system:8us\$ 11.Hydraulic brake: 30us\$ 12.Damper:30\$ 13.Bluetooth:10\$ 	<p>https://liidewayscooter.com/product/bike-electric-scooter-liideway-t4/</p>	<p>Unfolded size 115*21*129CM Folded size 115*21*45CM Pedal width: 21CM Packing size: 128*28*52CM Carton weight:5KG NW/GW:30KG/35KG 20FT:150pcs, 40HQ:312pcs, 45HQ:366pcs</p>	<p>sample:us\$720 50pcs:690\$ 20ft:678\$ 40HQ:658\$</p>
<p>LW-3wheel</p>		<p>11inch off road 3wheel Escooter Body Frame: Ultra strong aluminum+Iron alloy Motor: 52V 6000w double motor Battery 52V 20AH lithium battery (21700) Battery:52V 40AH lithium battery(MAX Mileage 52V 20AH:60~70KM) Battery:52V 40AH:120~140KM(Max Speed: 60~65KM/H) Gradeability:40° Lights: Front two 30W lights with horn+brake light+indicator+rear light Braking Front+Rear Disc brake Tires:11inch off road tires Suspension: Front motorcycle suspension+rear dual spring suspension Dashboard:Twist-grip throttle Folding: yes Charger: 52V 2A</p>	<ol style="list-style-type: none"> 1.Two 2A charger:12\$ 2.Seat+15\$ 3.Add USB mobile phone charging:5\$ 4.Install pole cover LED light+55\$ 5.Install LED cover light+35\$ 6.13-inch road tires : 52us\$ 7.14inch off road tire:75us\$ 8.Install 6inch LCD screen+13\$ 9. removatable battery: 50\$ 	<p>https://liidewayscooter.com/product/electric-scooters-china-liideway-lw3wheel/</p>	<p>N.W./G.W. 60KG/66KG 66KG/72KG Package Size 156*50*58CM</p>	<p>52V 20AH: 850\$ 52V 40AH ;960\$</p>

<p>T5</p>		<p>11inch road vocuum semi-hot melt tire Material:Aviation aluminum alloy Craftmanship: CNC Loading:150kg, Max speed:100-120KM/H , Recharge mileage:80km, Climbing angle:25 degree Battery capacity:72v40AH(LG battery) Digital display:TFT, Shock Absorber: front and rear Hydraulic spring suspension, Max motor power: 12000W(reexternal rotation motor with belt connected transmission mode) Charging:84v 5AH Braking method: Hydraulic brake, Color: German Grey Light:front/rear light and side light/turn/brake light/siren/signal light</p>	<ol style="list-style-type: none"> 1.with seat :50us\$ 2. 5A charger:50\$ 3.Add USB mobile phone bracket:35\$ 4.with logo(pole and footboard) and carton logo(free) 5. with waterproof strip(free) 6.upgrade shock absorbers (free) 7.alarm system:8us\$ 8.Hydraulic brake: 30us\$(free) 9.Damper:30\$(free) 10.Bluetooth:10\$ 	<p>https://liidewayscooter.com/product/electric-scooter-innovations-adults-new-fashion-newest-reviews-t5/</p>	<ol style="list-style-type: none"> 1.Body size:142*30.7*126cm 2.Ground clearance:12cm 3.NW:58kg 	<p>US\$3,000</p>
------------------	--	--	--	--	--	-------------------------